p. 123 Pheasant attracted to couple Hen.

124 Hybrid & Pheasant & fowls

—133 Copse Hastings pond nestlings.

34
8C

162 Charter of village [illegible]

2 — 163 [illegible] [illegible] transmitted to [illegible]

The Poultry Book

p. 47 & 48 Cochin — O middle-toe very long. — p. 41. 42 Tail very short — primaries very short.

p. ~~43~~ 46 Cuckoo Cochin p. ~~56~~ 46 Cochin goose mind — ~~57~~ 49. Pectoral muscles little developed

65 Sykes on Fowls imported from Deccan breeding at first (as did of African Fowls) Pigeons from Egypt.

~~72~~ Malays 81 eggs variable in size ~~&~~ colour cock 78 chickens feather slowly

p. 76 97. Cuckoo Dorking, remarkable for being nearly same coloured feathers in both sexes.

86 102. & 107 Spanish tender — p. 103. minimum comb in both sexes. ~~87~~ 103 Shape of Skull, affected by Comb

~~88~~ 89 105 Two strains of Spanish; one from Holland. (2) get white face at different periods 106

~~90 p. 107. White Spanish Fowls not sitting p. 97.~~ R

93 in Spanish Fowls great uncertainty in getting the coveted white face

~~95 p. 119 Two non-sitters produce sitting chickens — p. 133 do.~~ R

X 97 Spanish Andalusian p. 121. get secondary male character very early; crow at 6 weeks. (2)

99 123. Pedigree of Game Fowls stated ~~to~~ at 100 years

X 100. 124 Spurs often present in Hens of Game — (& 1 case)

100 Colour differs in cocks of several sub-breeds of Game; more than Hens.
X p. 131 but Hens (p. 102) also differ much

103 131 Cuckoo Game

X 103 131 A Game sub-breed with Cocks & Hens alike

111. 139. Comb a fearful vantage to foe. Curious like wishing for Beauty-cocks;

116 p. 155 ~~2 breeds~~ Pencilled Hamburghs described by Aldrovandi — X Cocks not pencilled. 119 150 non-sitters

123 Spangled Hamburgh — p. 155 2 sub-breeds analogous to Pheasant

~~123~~ 124 165 & Pheasants selecting particular Hens to pair with

~~124 Young Hybrid Pheasants "Extraordinary instincts" Resemble. —~~ R 165 & 167 stripes — like Game 167

126 First crosses of breeds of Fowls & Hybrid Pheasant very large size

129 2 ~~a 3 (p. 131)~~ p. 155 sub-breeds of Spangled Hamburghs

X 130 Hen-tailed Cocks p. 154 do strong generally not very fertile: [but Hen-tailed game are said to be so p. 102]

135 172 Polish Fowls at least 200 years old

136 172 Difference in top-knot of Cock & Hen Polish. — Hackles in Cock, correlation
173 Blumenbach on the Skull — good
comb very rudimentary — wattles & Beard correlative — nostrils crescentic 175 not so safe
181 In some breeds wattles, in some beards — ~~191 Ghoondkas~~
inter-maxillary bone absent. — 175 Correlation of Skull & Plume
do form of comb

p. 136 Cuckoo 185 Polish; Silver & Golden Spangled.
p. 188 Sultans — p. 191 Ghoondkas —
p. 158 Bantams; length of feathers on legs — Breed nearly extinct 159 Spangled Bantams

p. 161. ~~224~~ Breed of Silk fowls p. 162 Degenerate in this country; Chickens
(2) very pretty canary-yellow — 163 224 Silkies not black-skinned, but
colour of skin & bone in black-skinned.

165. Rumpless Fowls possessing tail-feathers — never true to colour. —

over

~~177~~ 209 Creve-coeurs. large tufted 2-horned comb.

~~150~~ 241 Origin of Sebright Bantam — complex cross.

(2) ~~156~~ 248. ~~White Bantam, when mature tend to acquire yellow colour & this is tendency — Reversion. — so with Black Bantam when 2 or 3 years old. Reversion. —~~ R

New Edit 204 . ~~Houdans described~~

210 advantages of crossing Fowls

219 Guelders, Comb merely a rudiment; Cuckoo Guelder — a sub-breed of Polish. no top-knot

224 Crossed Silky Fowls

231 good case of Reversion, without a cross —

~~234 [illegible] can be [illegible] [illegible]~~

236 Weight of Poultry & Ducks

250 Bantams with feathers on legs & 2 outer toes longer than wing feathers Ch. 25 Correlation of Growth